



KITCHEN'S CRANE & EQUIPMENT

2020 Temisko Blade Trailers

3 TRAILERS AVAILABLE - Well maintained & in good condition

01 | Hub Reading - 119703 km

02 | Hub Reading - 112817 km

03 | Hub Reading - 81568 km

The Temisko air ride model has the best-in-class steering angle and a low tare weight. The base trailer is offered as a 4 beam trailer that can extend from 53 ft to 160 ft. There is a 20 ft extendible bumper that meets state requirements regarding maximum overhang. A fifth beam can be installed in the unit without any modification while still closing to 53 ft. This feature was implemented to allow the trailer to stay relevant even with the ever-growing blades.

Extending the trailer is very easy thanks to the flairs on the bottoms of the caissons and the 2 hydraulic legs. The last caisson is fitted with a top flair on the caisson to allow the operator to adjust the pitch of the axle grouping. At very long lengths, the trailer behaves like a large spring and proper shimming is critical to distribute the loading correctly.

The loading bunk has bolting points all along the last caisson to allow the operator fine adjustment of the loading position.


MINIMUM PAYLOAD: 3,298 kg
MAXIMUM PAYLOAD: 36,009 kg
MAXIMUM CARRYING HEIGHT: 53 in
TARE WEIGHT: 16,216 kg
STEERING ANGLE: 46 degrees
SWING RADIUS: 91 in

1-804-814-4844 | info@kitchensequipment.com
www.kitchensequipment.com



1-804-814-4844 | info@kitchensequipment.com
www.kitchensequipment.com

Weights +/-3%		
Description	kg	lbs
4 Beam Blade	14506	31980
5th Beam	1710	3770
total	16216	35750



Notes:
 1. Closed length 53ft as a 4 or 5 beam configuration
 2. 20 000lbs/axle as 17.5" rims

TEMISKO (1983) INC.

Layout Blade Trailer
 4-5 Beam

Fichier :
 DESS: PC Date: 17-03-28

Work Order # :
 TM0018