



## 2013 Faymonville G-SL - 32 Lines

2013 Faymonville G-SL Platform Trailers compatible with the Goldhofer THP-SL module.

32 Lines = (4) 6 Lines + (2) 4 Lines

(2) ppu w/ controls, steering header and tow bar



**KITCHEN'S CRANE & EQUIPMENT**

7913 Dunnottar Court, Chesterfield, VA 23838

1-804-814-4844 info@KitchenEquipment.com

www.kitchensequipment.com

<b>MODUL G-SL</b>	<b>215/75 R17.5 RHT II</b>			
	<b>135/133J</b>			
<b>Max. speed</b>	<b>Max. axle load (Kg)</b>	<b>Max. axle load (kN)</b>	<b>Tyre pressure (bar)</b>	<b>Tyre pressure (PSI)</b>
80 km/h (50 mph)	17 140	171.40	8,5	123
60 km/h (37 mph)	18 960	189.60	9,5	138
50 km/h (30 mph)	19 280	192.80	9,7	140
40 km/h (25 mph)	20 920	209.20	9,9	143
30 km/h (19 mph)	22 680	226.80	10,1	146
20 km/h (12 mph)	27 040	270.40	10,7	155
10 km/h (6 mph)	32 280	322.80	11,4	165
5 km/h (3 mph)	36 600	366	12,2	177
1 km/h (0.6 mph)	42 400	424	12,2	177
0.5 km/h (0.3 mph)	45 000	450	12,6	183



