

2010 Lift Systems 48A Gantry www.KitchensEquipment.com


2010 Lift Systems 48A Gantry System for RENT or SALE

Only 400 hours & Recertified in February 2025 800 ton capacity

- 800 Ton Capacity
- Only 400 Hours Recertified in Feb. 2025
- Retracted height 9'10.75" (3016 mm)
- Extended height 27'4.75" (8350 mm)
- Four 200 ton (181 tonne) Lifting Units
- Two 440 VAC 3 PH 60 Hz Electric Power Units
- OSHA Compliant Ladders on all Lifting Units
- Four 50' Twinline Hose Assemblies
- One set Connecting Tubes consisting of two short and two long tube connections
- Gang box & Accessories

(Optional accessories also available):

- Two Box Girder Lifting Beams (412 mm W x 800 mm H x 11732 mm L)
- One 200 ton (181 tonne) Continuous Powered
- Side Shift System
- -LeveLift II leveling system





2010 Lift Systems 48A Gantry www.KitchensEquipment.com









Kitchen's Crane & Equipment / Est. 2007



2010 Lift Systems 48A Gantry www.KitchensEquipment.com



MODEL 24A / 48A

NEW BASE STYLE 400 ton / 800 ton Gantry System

CAPACITY:

4 Point - 48A

800 (725) Tons to 15'8" (4794 mm) 597 (541) Tons to 21'6" (6572 mm) 402 (364) Tons to 27'4-3/4" (8350 mm)

2 Point - 24A

400 (362) Tons to 15'8" (4794 mm) 298 (270) Tons to 21'6" (6572 mm) 201 (180) Tons to 27'4-3/4" (8350 mm)

Max. Operating PSI: 2000 (138 bar)

BASE DIMENSIONS:

Length: 73 1/2" (1867 mm) Width: 48" (1229 mm)

Height Retracted: 9'10-3/4" (3016 mm)


Weight: 11000 lbs. (4994 kg)

POWER UNITS:

Two 400 gallon (1514 L) Power Units per four point system

Power Options: Diesel, Gasoline, Propane, Electric (3 phase, 440 Volt, 60 Hz; or 3 Phase, 380 Volt, 50Hz)

Length: 101" (2565mm) Width: 69" (1753 mm) Height: 54" (1372 mm) Weight Each: 5835 lbs. (2647 kg)




STANDARD FEATURES

- Double acting cylinders
- · Safety holding valves

Kitchen's Crane & Equipment / Est. 2007



2010 Lift Systems 48A Gantry www.KitchensEquipment.com



Kitchen's Crane & Equipment / Est. 2007